

Disodium Edetate

CODE ARTICLE: 91596	BATCH: 0122501
TEST DATE: 05/10/2023	TEST: QC-00257399
EXPIRY DATE: 25/04/2026	FABRICATION DATE: 25/04/2023
CAS: [6381-92-6]	MR: 372,20
SYNONYMS / BOTANICAL NAME: Disódica 2-hidratos	
STORAGE: Store in tightly closed containers in a cool, dry place.	

TEST	RESULTS	Units	MIN	MAX	METHOD
APPEARANCE	PASS -			Crystal powder	PH.EUR.*
COLOUR	PASS -			White	PH.EUR.*
SOLUBILITY					
SOLUBLE	PASS -			Soluble in water	PH.EUR.*
SOLUBLE	PASS -			Practically insoluble in ethanol (96 per cent)	PH.EUR.*
IDENTIFICATION					
IDENTIFICATION	PASS				PH.EUR.*
DISSOLUTION ASPECT	PASS -			Solution S clear and colourless	PH.EUR.
PH (5%)	4,6 -		4	5,5	PH.EUR.*
IMPURITY A	<0,1 %			0,1	PH.EUR.
IRON	<80 MG/KG			80	PH.EUR.
ASSAY	99,8 %		98,5	101	PH.EUR.
PH	4,6 -		4,3	4,7	Manufacture's Standard
CALCIUM	PASS				Manufacture's Standard
SEQUESTERING CAPACITY FOR CALCIUM	268,3 MG	CaCO3 / G	266	-	Manufacture's Standard
HEAVY METALS	<20 MG/KG			20	Manufacture's Standard
LEAD	<10 MG/KG			10	Manufacture's Standard
SAMPLING	COLLECT				Manufacture's Standard
CORRECT BATCH	YES				Manufacture's Standard
SPECIFICATION	PH.EUR 11, FCC				Manufacture's Standard

NON-sterile



Silvia Sancho-Tello Ripoll
Technical Director.

The product has been handled in NON-sterile rooms, therefore this product IS NOT STERILE

The data expressed in this certificate of analysis is facilitated by our supplier and/or obtained in our control laboratory, in no case being exempted of the controls demanded by each sector. Tests marked with (*) are verified in Guinama.

Manufacturer Batch: J04251049 Supplier Code: 405029

GUINAMA S.L. Calle Oslo, 3 46185 La Pobla de Vallbona (Valencia) Spain
Phone: +34 96 186 90 90 / 902 11 98 16 Fax: 96 185 03 52 E-mail: ventas@guinama.com - www.guinama.com

