QUALITY CONTROL

Caesar & Loretz GmbH Herderstr. 31 40721 Hilden Phone: 02103/49940

Certificate of analysis



Article 4207	Dexamethasonacetat, mikronisiert, API
--------------	---------------------------------------

Synonym Dexamethasoni acetas

Synonym Dexamethasone acetate, micronized, API

Batch 24000144

Specification Ph.Eur.11.0

Production date 01	.2023	Retest date	01.2026
Test		Specification	Result
Characters		According to specification	Complies
Appearance		According to specification	Complies
Solubility		According to specification	Complies
Identification		According to specification	Complies
IR spectrophotometry		According to specification	Complies
HPLC		According to specification	Complies
Tests		According to specification	Complies
Specific optical rotation		94 99	96
Related substances		According to specification	Complies
Impurity I		Max. 0.4 %	0.0 %
Impurity D		Max. 0.3 %	0.0 %
Impurity A		Max. 0.2 %	< 0.1 %
Impurity E		Max. 0.2 %	0.0 %
Each unspecified impurity		Max. 0.10 %	< 0.01 %
Total of all impurities		Max. 0.5 %	0.1 %
Loss on drying		Max. 0.5 %	0.0 %
Assay		97.5 102.0 %	99.0 %
Correction factor weighing (f,	NRF)	1,000	1,010
Complies specification			Yes

Print date (mm-dd-yy) 01-12-24 Page 1 of 2

QUALITY CONTROL

Caesar & Loretz GmbH Herderstr. 31

40721 Hilden Phone: 02103/49940

Certificate of analysis



Article 4207 Dexamethasonacetat, mikronisiert, API

Synonym Dexamethasoni acetas

Synonym Dexamethasone acetate, micronized, API

Batch 24000144

Specification Ph.Eur.11.0

Production date 01.2023 Retest date 01.2026

Release date 12.01.2024 Released by Frau Dr. Haßel, QP,

Manufacturer Time Time Time LQK

Tianjin Tianyao Pharmaceuticals Co.Ltd

NDAC230107

Manufacturer street NO.19, Xinye 9th Street, West Area of

Manufacturer city 300462 Tianjin

Manufacturer country

Volksrepublik China **

GMP-compliant production and testing of the active pharmaceutical ingredients

Results marked with # were taken from the manufacturer's certificate.

The batch 24000144 complies specification.

This document has been generated automatically and is valid without signature.

Print date (mm-dd-yy) 01-12-24 Page 2 of 2