

QUALITY CERTIFICATE

Product name: GELATIN 150 Bloom
Quality: Ph.Eur.9.0.
Package: 500 g
Lot No.: EX7757642
Manufacturing date: 11.2020.
Expiry date: 30.11.2025. (DMY)
Anal. No.: 84573H57642

	REQUIRED	MEASURED
Appearance	faintly yellow or light yellowish-brown solid	light yellowish-brown solid
Identity	identical	identical
Appearance of solution	passes test	passes test
pH (1%)	3,8-7,6	5,824
Conductivity	max.1 mS/cm-1	0,12 mS/cm-1
Sulfur dioxide	max.50 ppm	<40 ppm
Peroxide	max.10 ppm	<10 ppm
Gel strength	120-180 g Bloom	163 g Bloom
Iron (Fe)	max.30 ppm	<30 ppm
Chrome (Cr)	max.10 ppm	<10 ppm
Zinc (Zn)	max.30 ppm	<30 ppm
Loss on drying (105□C)	max.15,0 %	11,15 %
Microbiological purity	max.1000(TAMC) CFU/g	<1000 CFU/g
Total moulds and yeasts count	max.100 CFU/g	<100 CFU/g
Escherichia coli	not contain	not contain
Salmonella	not contain	not contain

The Product complies with the requirements of Ph.Eur.9.0.

Kiállítva: Halásztelek, 2020.12.23.

Madarassy Zsolt

Madarassy Zsolt
Minőségbiztosítási vezető

