

**QUALITY CERTIFICATE**

Product name: GELATIN 150 Bloom  
Quality: Ph.Eur.9.0.  
Package: 500 g  
Lot No.: EX7761254  
Manufacturing date: 11.2020.  
Expiry date: 30.11.2025. (DMY)  
Anal. No.: 84573H61254

	<b>REQUIRED</b>	<b>MEASURED</b>
Appearance	faintly yellow or light yellowish-brown solid	light yellowish-brown solid
Identity	identical	identical
Appearance of solution	passes test	passes test
pH (1%)	3,8-7,6	5,824
Conductivity	max.1 mS/cm-1	0,12 mS/cm-1
Sulfur dioxide	max.50 ppm	<40 ppm
Peroxide	max.10 ppm	<10 ppm
Gel strength	120-180 g Bloom	163 g Bloom
Iron (Fe)	max.30 ppm	<30 ppm
Chrome (Cr)	max.10 ppm	<10 ppm
Zinc (Zn)	max.30 ppm	<30 ppm
Loss on drying (105□C)	max.15,0 %	11,15 %
Microbiological purity	max.1000(TAMC) CFU/g	<1000 CFU/g
Total moulds and yeasts count	max.100 CFU/g	<100 CFU/g
Escherichia coli	not contain	not contain
Salmonella	not contain	not contain

**The Product complies with the requirements of Ph.Eur.9.0.**

Kiállítva: Halásztelek, 2020.12.23.

*Madarassy Zsolt*

Madarassy Zsolt  
Minőségbiztosítási vezető

