## **QUALITY CONTROL**

Caesar & Loretz GmbH Herderstr. 31 40721 Hilden Phone: 02103/49940

## **Certificate of analysis**



Article 5340	Mometasonfuroat, mikronisiert, API
--------------	------------------------------------

Synonym Mometasoni furoas

Synonym Mometasone furoate, micronized, API

Batch 24002020

Specification Ph.Eur.11.0

Production date	04.2024	Retest date	03.2028
Test		Specification	Result
Characters		According to specification	Complies
Appearance		According to specification	Complies
Solubility		According to specification	Complies
Identification		According to specification	Complies
IR spectrophotometry		According to specification	Complies
HPLC		According to specification	Complies
E		According to specification	Complies
Tests		According to specification	Complies
Specific optical rotation		50 55	52
Related substances		According to specification	Complies
Impurity J		Max. 0.15 %	< 0.05 %
Each unspecified impurit	у	Max. 0.10 %	< 0.05 %
Total of all impurities		Max. 0.3 %	0.0 %
Loss on drying		Max. 0.5 %	0.1 %
Assay		98.0 102.0 %	99.8 %
Correction factor weighin	g (f, NRF)	1,000	1,003
Complies specification			Yes
Intern			

Print date (mm-dd-yy) 10-07-24 Page 1 of 2

## **QUALITY CONTROL**

Caesar & Loretz GmbH Herderstr. 31

40721 Hilden Phone: 02103/49940

## **Certificate of analysis**



Article 5340 Mometasonfuroat, mikronisiert, API

Synonym Mometasoni furoas

Synonym Mometasone furoate, micronized, API

Batch 24002020

Specification Ph.Eur.11.0

Production date 04.2024 Retest date 03.2028

Release date 07.10.2024 Released by Frau Apoth. Dr. Schücker, QP

Manufacturer Halcyon Labs Pvt. Ltd.

Manufacturer batch HMF00324

Manufacturer street Plot No. 409, Phase- IV, GIDC Estate,

Manufacturer city Naroda, Ahmedabad- 382 330

Manufacturer country Indien\*\*

GMP-compliant production and testing of the active pharmaceutical ingredients

Results marked with # were taken from the manufacturer's certificate.

The batch 24002020 complies specification.

This document has been generated automatically and is valid without signature.

Print date (mm-dd-yy) 10-07-24 Page 2 of 2