

## Methionine-dl

<b>CODE ARTICLE:</b> 11685	<b>BATCH:</b> 0130164
<b>TEST DATE:</b> 09/09/2024	<b>TEST:</b> QC-00267690
<b>EXPIRY DATE:</b> 23/02/2027	<b>FABRICATION DATE:</b> 24/02/2024
<b>STORAGE:</b> Store in tightly closed containers in a cool, dry place.	

TEST	RESULTS	Units	MIN	MAX	METHOD
APPEARANCE	PASS -			Crystalline powder	PH.EUR.
COLOUR	PASS -			White	PH.EUR.
<b>IDENTIFICATION</b>					
IDENTIFICATION A (IR SPECTRUM)	PASS				PH.EUR.
IDENTIFICATION C (SPECIFIC ROTATION)	0,00 DEGREES		-0,05	0,05	PH.EUR.
DISSOLUTION ASPECT	PASS -			Clear and colourless	PH.EUR.
PH	5,9 -		5,4	6,1	PH.EUR.
RELATED SUBSTANCES	PASS %			0,2	PH.EUR.
CHLORIDES	<200 ppm			200	PH.EUR.
SULPHATES	<200 ppm			200	PH.EUR.
LOSS ON DRYING	0,13 %		-	0,5	PH.EUR.
SULPHATED ASHES	0,05 %		-	0,1	PH.EUR.
ASSAY	99,3 %		99	101	PH.EUR.
TRANSMITTANCE	99,3 %		98	-	Manufacture's Standard
AMMONIUM	<0,02 %			0,1	Manufacture's Standard
HEAVY METALS	<10 ppm			10	Manufacture's Standard
ARSENIC	<1 ppm			2	Manufacture's Standard
LEAD	<1 ppm			3	Manufacture's Standard
MERCURY	<0,1 ppm			0,1	Manufacture's Standard
CADMIUM	<1 ppm			1	Manufacture's Standard
OTHER AMINOACIDOS	N.D.				Manufacture's Standard
SAMPLING	NO PICK UP				Manufacture's Standard
CORRECT BATCH	YES				Manufacture's Standard
SPECIFICATION	PH.EUR 11				Manufacture's Standard



**Silvia Sancho-Tello Ripoll**  
Technical Director.

The data expressed in this certificate of analysis is facilitated by our supplier and/or obtained in our control laboratory, in no case being exempted of the controls demanded by each sector. Tests marked with (\*) are verified in Guinama.

Manufacturer Batch: CP2924022401    Manufacturer Code: 405647    Supplier Code: 405647

GUINAMA S.L. Calle Oslo, 3 46185 La Pobla de Vallbona (Valencia) Spain  
Phone: +34 96 186 90 90 / 902 11 98 16 Fax: 96 185 03 52 E-mail: ventas@guinama.com - www.guinama.com

